

V.O.C. AIR QUALITY REPORT June 17th, 2019



11611 W. North Ave, Suite 203 Wauwatosa, WI www.iaqdiagnostics.com



6601 Kirkville Road East Syracuse, NY www.sgsgalson.com



2019 V.O.C. Air Quality Report for Good Health Saunas®

In response to National Marketing Inc., DBA, Good Health Saunas request, Indoor Air Quality Diagnostics, Inc. ('IAQ Diagnostics') has performed a limited indoor air quality assessment within two (2) sauna's



set up within the Good Health Saunas facilities showroom located at 2242 W Bluemound Road, in Waukesha, Wisconsin The scope of IAQ Diagnostics services was specifically limited to indoor air sampling that measures the concentrations of volatile organic compounds ('VOC's), utilizing the United States Environmental Protection Agencies ('USEPA') TO-15 list, present in the indoor air near the sampling devices placed within each sauna during the specified period of sampling.

One (1) sample was collected within each sauna (Corner Hemlock & Red Cedar) before the sauna is operated to document VOC's during ambient non-operating ('cold') conditions. One (1) sample was then collected within each sauna while the sauna is operated at 135° Fahrenheit to document the VOC during operating conditions. One (1) sample was then collected within each sauna while the sauna is operated at 135° Fahrenheit to document the VOC during operating conditions.

One (1) sample was also collected outside of the saunas to document the general background VOC levels within the Master Spa showroom that could have an impact on the VOC levels within the saunas.

The sampling was done using a Summa canister to draw air into the canister under the influence of the canister's vacuum. This sample is a direct measure of the indoor air concentration near the sampling device

during the sampling period. Each canister was fitted with a flow controller that provides grab (short-term) sample.

The samples were sent overnight express to SGS Galson Labs, an American Industrial Hygiene Association ('AIHA') accredited laboratory, for analysis using the appropriate EPA methodology for the targeted VOC's.







The Results

The overall results were outstanding. The data collected from within the two saunas at 135 degrees Fahrenheit, showed better air quality than within the showroom and the outside air quality sample . Our saunas maintain the highest air quality standards.



Results show that concerning compounds are virtually nonexistent in the air quality of our saunas. We set the standard for a virtually toxin free infrared sauna. We provide our customers with not only the best quality, but also the highest standards in air quality. Rest assured when you are relaxing and rejuvenating in your Good Health Sauna, you are detoxifying the body of unwanted impurities.









- Indoor Air Quality
- Mold & Allergens
- Asbestos & Lead
- Bacteria & Chemicals
- Water Loss Consulting
- Thermal Imaging
- Industrial Hygiene

Indoor Air Quality Diagnostics, Inc.

June 17, 2019

National Marketing Inc DBA Good Health Saunas Ryan Stearns 2242 W Bluemound Rd - Suite A Waukesha, WI 53186

Limited Indoor Air Quality Assessment - VOCs (Sauna Sampling – 2242 W Bluemound Road, Suite A, Waukesha, WI)

Mr. Stearns,

In response to Good Health Saunas ('CLIENT') request, Indoor Air Quality Diagnostics, Inc. ('IAQ Diagnostics') performed a *limited indoor air quality assessment* within two (2) sauna's set up within the Master Spas of Southern WI showroom located at 2242 W Bluemound Road, Suite A, in Waukesha, Wisconsin ('SITE'). Master Spas of Southern WI is an authorized Good House Saunas Retailer.

The scope of IAQ Diagnostics services was specifically limited to indoor air sampling that measures the concentrations of volatile organic compounds ('VOC's), utilizing the United States Environmental Protection Agencies ('USEPA') TO-15 list, present in the indoor air near the sampling devices placed within each sauna during the specified period of sampling.

One (1) sample was collected within each sauna (Corner Hemlock & Red Cedar) to document VOC's during ambient non-operating ('cold') conditions. One (1) sample was also collected within each sauna while the sauna is operated at 135° Fahrenheit to document the VOC during operating conditions.

Additionally, one (1) sample was collected outside of the saunas to document the general background VOC levels within the Master Spa showroom that could have an impact on the VOC levels within the saunas.

The sampling was done using a Summa canister to draw air into the canister under the influence of the canister's vacuum. This sample is a direct measure of the indoor air concentration near the sampling device during the sampling period. Each canister was fitted with a flow controller that provides grab (short-term) sample.

The samples were sent overnight express to SGS Galson Labs, an American Industrial Hygiene Association ('AIHA') accredited laboratory, for analysis using the appropriate EPA methodology for the targeted VOC's.

Th sampling was performed on June 11, 2019. The results of the sampling are presented in TABLE 1.0. SGS Galson Labs report is presented as an Attachment to this letter report.



Mr. Bret Berglund Indoor Air Quality Diagnostics, Inc 11611 W. North Ave Suite 203 Wauwatosa, WI 53226 June 14, 2019

Account# 27014

Login# L482653

Dear Bret Berglund:

Enclosed are the analytical results for the samples received by our laboratory on June 13, 2019. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa-Luab

Lisa Swab Laboratory Director

Enclosure(s)

TABLE 1.0

			Results*		
Compound	Showroom	Corner Hemlock	Corner Hemlock	Red Cedar	Red Cedar
	Showroom	(Cold)	(135° F)	(Cold)	(135° F)
1,1,1-Trichloroethane	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
1,1,2,2-Tetrachloroethane	< 0.16	<0.16	<0.16	< 0.16	0.74
1,1,2-Trichloroethane	< 0.16	<0.16	<0.16	< 0.16	< 0.16
1,1-Dichloroethane	< 0.16	<0.16	<0.16	< 0.16	< 0.16
1,1-Dichloroethene	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
1,2,4-Trimethylbenzene	0.41	0.27	0.39	0.28	0.47
1,2-Dibromoethane	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
1,2-Dichlorobenzene	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
1.2-Dichloroethane	< 0.16	<0.16	<0.16	< 0.16	< 0.16
1.2-Dichloropropane	< 0.16	< 0.16	< 0.16	<0.16	<0.16
1.3.5-Trimethylbenzene	< 0.16	< 0.16	< 0.16	<0.16	<0.16
1.3-Butadiene	<0.16	<0.16	<0.16	<0.16	<0.16
1 3-Dichlorobenzene	<0.16	<0.16	<0.16	<0.16	<0.16
1 4-Dichlorobenzene	<0.16	<0.16	<0.16	<0.16	<0.16
1 4-Dioxane	<0.10	<0.10	<0.10	<0.10	<0.10
2.2.4 Trimethylpentane	0.35	0.24	0.29	0.25	0.34
2,2,4-Timethylpentane	<0.16	<0.24 <0.16	<0.29 <0.16	<0.16	<0.16
4 Ethyltoluono	<0.16	<0.16	<0.16	<0.16	<0.10
4-Ethyltoldelle	<0.10 95	<0.10	<0.10 70	<0.10 50	<0.10 80
Acetonie	0J <0.50	44 <0.50	/0	50	69 <0.50
AcetoIntine	<0.30 0.76	<0.30	<0.50	<0.30	<0.50
Acrolein	0.76	0.59	2.3	0.64	1.5
Acrylonitrile	<0.16	<0.16	<0.16	<0.16	< 0.16
Allyl Chloride	<0.16	<0.16	<0.16	<0.16	<0.16
Benzene	0.32	0.37	0.37	0.36	0.37
Benzyl Chloride	< 0.16	< 0.16	< 0.16	< 0.16	<0.16
Bromodichloromethane	< 0.16	<0.16	<0.16	< 0.16	< 0.16
Bromoform	< 0.16	<0.16	<0.16	<0.16	<0.16
Bromomethane	< 0.16	<0.16	<0.16	<0.16	< 0.16
Carbon Disulfide	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Tetrachloride	< 0.16	< 0.16	< 0.16	< 0.16	<0.16
Chlorobenzene	< 0.16	< 0.16	< 0.16	< 0.16	<0.16
Chloroethane	< 0.16	<0.16	<0.16	< 0.16	< 0.16
Chloroform	< 0.16	< 0.16	<0.16	< 0.16	< 0.16
Chloromethane	0.51	0.54	0.78	0.56	0.70
cis-1,2-Dichloroethylene	< 0.16	< 0.16	< 0.16	< 0.16	<0.16
cis-1,3-Dichloropropene	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Cumene	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Cyclohexane	0.28	0.17	0.24	0.23	0.28
Dibromochloromethane	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Ethanol	51	43	63	40	67
Ethyl Acetate	1.7	1.0	1.4	1.1	1.7
Ethyl Bromide	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Ethylbenzene	0.29	0.16	0.27	0.19	0.32
Freon-11	0.22	0.20	0.21	0.18	0.22
Freon-113	<0.16	<0.16	<0.16	<0.16	<0.16
Freon-114	<0.16	< 0.16	< 0.16	<0.16	<0.16
Freon-12	0.47	0.47	0.48	0.45	0.43
Heptane	8.8	3.7	5.9	4.5	8.8
Hexane	0.25	0.19	0.20	0.18	0.22
Isopropyl Alcohol	3 3	3.2	4.6	3.1	4.1
m & n-xylene	11	0.60	0.96	0.65	1.2
Methyl Butyl Ketone	<0.16	<0.16	<0.16	<0.16	<0.16
Methyl Ethyl Ketone	35	18	20	20	35
Methyl Isobutyl Ketone	0.20	<0.16	<0.16	<0.16	<0.16
Methyl Methaerylate	0.20	<0.16	0.10	0.10	<0.10
Methyl tert Rutyl Ether	<0.16	<0.10	<0.16	<0.16	<0.16
Mothylona Chlorida	~0.10	<0.10	~0.10	<0.10	~0.10 0.27
Newlythelews	<0.16	<0.10	0.29	<0.10	0.27
	<u>\0.10</u>	<u>\0.10</u>	<u>\0.10</u>	~0.10	<u>\0.10</u>
n-Butane	0.0	5.5	4.5	5.9	5./
Nonane	<0.16	<0.16	<0.16	<0.16	<0.16
n-Propylbenzene	<0.16	<0.16	<0.16	<0.16	<0.16
o-Xylene	0.37	0.22	0.34	0.24	0.42
Pentane	12	5.6	8.6	6.7	11
Propylene	4.6	2.4	3.5	2.8	4.1
Styrene	5.8	3.2	4.7	3.6	5.8
tert-Butyl Alcohol	< 0.50	< 0.50	< 0.50	<0.50	< 0.50



			Results*		
Compound	Showroom	Corner Hemlock (Cold)	Corner Hemlock (135° F)	Red Cedar (Cold)	Red Cedar (135° F)
Tetrachloroethylene	< 0.16	<0.16	<0.16	<0.16	< 0.16
Tetrahydrofuran	190	88	140	100	170
Toluene	0.96	0.66	1.2	0.65	1.0
trans-1,2-Dichloroethene	< 0.16	<0.16	<0.16	<0.16	< 0.16
trans-1,3-Dichloropropene	< 0.16	< 0.16	< 0.16	< 0.16	< 0.16
Trichloroethylene	< 0.16	<0.16	<0.16	<0.16	< 0.16
Vinyl Acetate	< 0.16	<0.16	<0.16	<0.16	<0.16
Vinyl Bromide	< 0.16	<0.16	<0.16	<0.16	<0.16
Vinyl Chloride	< 0.16	<0.16	<0.16	<0.16	<0.16

*Results reported in parts per billion (ppb)

The findings documented in this report are only valid at the time of its design. No warranty is either expressed or implied in this document.

IAQ Diagnostics may have used information supplied by CLIENT for the design of this report; therefore, IAQ Diagnostics cannot be held responsible for any damages (indirect or consequential) as a result of that misinformation or omissions of information.

Sincerely,

Indoor Air Quality Diagnostics, Inc.

Bret Berglund, CHMM

Attachment: SGS Galson Report



SGS	GAI	SON	LABORATORY ANALYSIS REPOI	RT	LELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality D: : NS	iagnostics, Inc	
(315) 432-5227 FAX: (315) 437-0571 www.sgsgalson.com		Date Samplec Date Receive Date Analyze Report ID	1 : 11-JUN-19 ed : 13-JUN-19 ed : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : L482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-1 GE-2-L-CEDAF	L482653-2 GSE-3-1-HEMLOCK	L482653-3 GSE-3-2-HEMLOCK	
Propylene	0.50	4.1	3.5	2.4	
Freon-12	0.16	0.43	0.48	0.47	
Chloromethane	0.16	0.70	0.78	0.54	
Freon-114	0.16	<0.16	<0.16	<0.16	
Vinyl Chloride	0.16	<0.16	<0.16	<0.16	
1,3-Butadiene	0.16	<0.16	<0.16	<0.16	
n-Butane	0.16	5.7	4.3	ы. Ю	
Bromomethane	0.16	<0.16	<0.16	<0.16	
Chloroethane	0.16	<0,16	<0.16	<0.16	
Acetonitrile	0.50	<07 50	0.0 V U	43	
Vinyl Bromide	0.16	<0.16	<0.16	<0.16	
Acrolein	0.16	1.5	2.3	0.59	
Acetone	0.50	89	02	44	
Freon-11	0.16	0.22	0.21	0.20	
Isopropyl Alcohol	0.50	4.1	4.6	3.2	
Analytical Method: mod.	OSHA PV21	20/mod. EPA T	O15; GC/MS	Super	rvisor: SAP
Collection Media : 6L Ca	nister		Approved	by : SAP	
Submitted by : BLD			Date	: 14-JUN-19	

Page 3 of 17 Report Reference:1 Generated:14-JUN-19 12:30

8

SGS	GAL	SON	LABORATORY ANALYSIS REPOI	RT	LELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality D: : NS	lagnostics, Inc	
(315) 432-5227 FAX: (315) 437-0571 www.sgsgalson.com		Date Sàmpled Date Receive Date Analyze Report ID	1 : 11-JUN-19 91 : 13-JUN-19 13-JUN-19 13-110068	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-1 GE-2-1-CEDAR	L482653-2 GSE-3-1-HEMLOCK	L482653-3 GSE-3-2-HEMLOCK	
Acrylonitrile	0.16	<0.16	<0,16	<0.16	
Pentane	0.16	11	8.6	5,6	
Ethyl Bromide	0.16	<0.16	<0.16	<0.16	
1,1-Dichloroethene	0.16	<0.16	<0.16	<0.16	
tert-Butyl Alcohol	0.50	<0.50	<0.50	<0.50	
Methylene Chloride	0.16	0.27	0.29	<0.16	
Freon-113	0.16	<0.16	<0.16	<0.16	
Carbon Disulfide	0.50	<0.50	<0.50	<0.50	
Allyl Chloride	0.16	<0.16	<0.16	<0,16	
trans-1, 2-Dichloroethene	0.16	<0.16	<0.16	<0.16	
1,1-Dichloroethane	0.16	<0.16	<0.16	<0.16	
Methyl tert-Butyl Ether	0.16	<0.16	<0.16	<0.16	
Vinyl Acetate	0.16	<0.16	<0.16	<0.16	
Methyl Ethyl Ketone	0.16	35	29	18	
cis-1, 2-Dichloroethylene	0.16	<0.16	<0.16	<0.16	
Hexane	0.16	0.22	0.20	0.19	
Analytical Method: mod. 0	SHA PV21	20/mod. EPA T	015; GC/MS	Super	rvisor: SAP
Collection Media : 6L Can	ister		Approved	by : SAP	
Submitted by : BLD			Date	: 14-JUN-19	

Page 4 of 17 Report Reference:1 Generated:14-JUN-19 12:30

9

SGS	GAL	SON	ABORATORY ANALÝSIS REPOI	КТ	LELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality Di : NS	iagnostics, Inc	
(315) 432-5227 FAX: (315) 437-0571 www.sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-1 GE-2-1-CEDAR	L482653-2 GSE-3-1-HEMLOCK	L482653-3 GSE-3-2-HEMLOCK	
Ethyl Acetate	0.16	1.7	1.4	1.0	
Chloroform	0.16	<0.16	<0.16	<0.16	
letranyaroturan 1.2-Di chloroethane	0.16	170	140	0001	
1,1.1-Trichloroethane	0.16	<0.16	<0.16	07.16 S0.16	
Benzene	0.16	0.37	0.37	0.37	
Carbon Tetrachloride	0.16	<0.16	<0.16	<0.16	
Cyclohexane	0.16	0.28	0.24	0.17	
1,2-Dichloropropane	0.16	<0.16	<0.16	<0.16	
Bromodichloromethane	0.16	<0.16	<0.16	<0.16	
1,4-DIOXADE Trichlarosthulane	31.0	<0.50	<0.50	<0.50	
2.2.4-Trimethylpentane	0.16	0.34	9T.0V	97-02	
Methyl Methacrylate	0.16	0.40	0.31	<0.16	
Heptane	0.16	8.8	5.9	3.7	
cis-1, 3-Dichloropropene	0.16	<0.16	<0.16	<0.16	
Analytical Method: mod.	OSHA PV21	20/mod. EPA TOI	15; GC/MS	Super	rvisor: SAP
Collection Media : 6L Ca	nister		Approved	by : SAP	
Submitted by : BLD			Date	: 14-JUN-19	

Page 5 of 17 Report Reference:1 Generated:14-JUN-19 12:30

のらの	GAL	SON P	ABORATORY ANALYSIS REPOR	H	
601 Kirkville Road ast Syracuse, NY 13057		Client Site	: Indoor Air Quality Di : NS	agnostics, Inc	
315) 432-5227 PX: (315) 437-0571 NW.Sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : L482653 Units : ppbv	
Galson ID: Client ID:	Dobv Dopv	L482653-1 GE-2-1-CEDAR	L482653-2 GSE-3-1-HEMLOCK	L482653-3 GSE-3-2-HEMLOCK	
trans-1.9-Dichloropropene	0.16	<0.16	<0.16	<0.16	
1.1.2-Trichloroethane	0.16	<0.16	<0.16	<0.16	
Methyl Isobutyl Ketone	0.16	<0.16	<0.16	<0.16	
Toluene	0.16	1.0	1.2	0.66	
Methyl Butyl Ketone	0.16	<0.16	<0.16	<0.16	
Dibromochloromethane	0.16	<0.16	<0.16	<0.16	
1.2-Dibromoethane	0.16	<0.16	<0.16	<0.16	
Tetrachloroethylene	0.16	<0.16	<0.16	<0.16	
Chlorobenzene	0.16	<0.16	<0.16	<0.16	
Ethylbenzene	0.16	0.32	0.27	0.16	
m & p-xylene	0.32	1.2	0.96	0.60	
Bromoform	0.16	<0.16	<0.16	<0.16	
Styrene	0.16	5.8	4.7	3.2	
1,1,2,2-Tetrachloroethane	0.16	0.74	<0.16	<0.16	
o-Xvlene	0.16	0.42	0.34	0.22	
Nonane	0.16	<0.16	<0.16	<0.16	

Page 6 of 17 Report Reference:1 Generated:14-JUN-19 12:30

501 Kirkville Road ist Syracuse, NY 13057		Client Site	: Indoor Air Quality Dî : NS	aqnostics, Inc	
815) 432-5227 LX: (315) 437-0571 LW.sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	100 ppbv	L482653-1 GE-2-1-CEDAR	L482653-2 GSE-3-1-HEMLOCK	L482653-3 GSE-3-2-HEMLOCK	
umene	0.16	<0.16	<0.16	<0.16	
-Chlorotoluene	0.16	<0.16	<0.16	<0.16	
-Propylbenzene	0.16	<0.16	<0.16	<0.16	
-Ethyltoluene	0.16	<0.16	<0.16	<0.16	
,3,5-Trimethylbenzene	0.16	<0.16	<0.16	<0.16	
,2,4-Trimethylbenzene	0.16	0.47	0.39	0.27	
enzyl Chloride	0.16	<0.16	<0.16	<0.16	
,3-Dichlorobenzene	0.16	<0.16	<0.16	<0.16	
,4-Dichlorobenzene	0.16	<0.16	<0.16	<0.16	
,2-Dichlorobenzene	0.16	<0.16	<0.16	<0.16	
aphthalene	0.16	<0.16	<0.16	<0.16	

Page 7 of 17 Report Reference:1 Generated:14-JUN-19 12:30

Approved by : SAP Date : 14-JUN-19

SGS

	GAL	SON	TNOJEN CTEITENNE TNOIENOOF		
601 Kirkville Road ast Syracuse, NY 13057		Client Site	: Indoor Air Quality Dia : NS	gnostics, Inc	
315) 432-5227 AX: (315) 437-0571 ww.sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-29 : 13-JUN-29 : 1140968	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-4 GE-2-2-CEDAR	1482653-5 SHOW ROOM BACKROUND		
Propylene	0.50	2.8	4.6		
Freon-12	0.16	0.45	0.47		
Chloromethane	0.16	0.56	0.51		
reon-114	0.16	<0.16	<0.16		
/inyl Chloride	0.16	<0.16	<0.16		
L, 3-Butadiene	0.16	<0.16	<0.16		
1-Butane	0.16	3.9	6.0		
Sromomethane	0.16	<0.16	<0.16		
Chloroethane	0.16	<0.16	<0.16		
Ithanol	0.50	40	51		
scetonitrile	0.50	<0.50	<0.50		
Inyl Bromide	91.0	<0.16	<0.16		
cetone	05.0	50.02	00		
'reon-11	0.16	0.18	0.22		
sopropyl Alcohol	0.50	3.1	а.а		

Page 8 of 17 Report Reference:1 Generated:14-JUN-19 12:30

200	GAL	SON L	ABORATORY ANALYSIS REPORT		LELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality Diag : NS	gnostics, Inc	
(315) 432-5227 FAX: (315) 437-0571 WWW.Sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : L482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-4 GE-2-2-CEDAR	L482653-5 SHOW ROOM BACKROUND		
Acrylonitrile	0.16	<0.16	<0.16		
Pentane	0.16	6.7	12		
Ethyl Bromide	0.16	<0.16	<0.16		
1,1-Dichloroethene	0.16	<0.16	<0.16		
tert-Butyl Alcohol	0.50	<0.50	<0.50		
Methylene Chloride	0.16	<0.16	0.24		
Freon-113	0.16	<0.16	<0.16		
Carbon Disulfide	0.50	<0.50	<0.50		
Ally1 Chloride	0.16	<0.16	<0.16		
trans-1, 2-Dichloroethene	0.16	<0.16	<0.16		
 I-Dichloroethane 	0.16	<0.16	<0.16		
Methyl tert-Butyl Ether	0.16	<0.16	<0.16		
Vinyl Acetate	0.16	<0.16	<0.16		
Methyl Ethyl Ketone	0.16	20	35		
cis-1, 2-Dichloroethylene	0.16	<0.16	<0.16		
Hexane	0.16	0.18	0.25		

Page 9 of 17 Report Reference:1 Generated:14-JUN-19 12:30

SGS	GAL	SON	ABORATORY ANALYSIS REPORT		LELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality Dia : NS	ignostícs, Inc	
(315) 432-5227 FAX: (315) 437-0571 www.sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : L482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-4 GE-2-2-CEDAR	L482653-5 SHOW ROOM BACKROUND		
Ethyl Acetate	0.16	1.1	1.7		
Chloroform	0.16	<0.16	<0.16		
Tetrahydrofuran	0.16	100	190		
1,2-Dichloroethane	0.16	<0.16	<0.16		
Benzene	0.16	24.00	0 32		
Carbon Tetrachloride	0.16	9T.0×	<0.16		
Cyclohexane	0.16	0.23	0.28		
1,2-Dichloropropane	0.16	<0.16	<0.16		
Bromodichloromethane	0.16	<0.16	<0,16		
1,4-Dioxane	0.50	<0.50	<0.50		
2.2.4-Trimethvlpentane	0.16	0.25	0 35		
Methyl Methacrylate	0.16	0.21	0.33		
Heptane	0.16	4.5	8.8		
cis-1, 3-Dichloropropene	0.16	<0.16	<0,16		
Analytical Method: mod.	OSHA PV21	20/mod. EPA TO	15; GC/MS	Super	visor: SAP
Collection Media : 6L Ca	nister		Approved by	Y : SAP	
submitted by : BLD			Date	: 14-JUN-19	

Page 10 of 17 Report Reference:1 Generated:14-JUN-19 12:30

SGS	GAL	SON La	ABORATORY ANALYSIS REPORT		IELAP Lab ID #04083
6601 Kirkville Road East Syracuse, NY 13057		Client Site	: Indoor Air Quality Dia : NS	gnostics, Inc	
(315) 432-5227 FÀX: (315) 437-0571 www.sgsgalson.com		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-4 GE+2+2-CEDÀR	L482653-5 SHOW ROOM BACKROUND		
trans-1, 3-Dichloropropene	0.16	<0.16	<0.16		
1,1,2-Trichloroethane	0.16	<0.16	<0.16		
Methyl Isobutyl Ketone	0.16	<0.16	0.20		
10Tneue	0.16	0.65	0.96		
Methyl Butyl Ketone	0.16	<0.16	<0.16		
1.2-Dibromochioromethane	0.16	<0.16	<0.16 <0.16		
Tetrachloroethylene	0.16	<0.16	<0.16		
Chlorobenzene	0.16	<0.16	<0.16		
Ethylbenzene	0.16	0.19	0.29		
m & p-xylene	0.32	0.65	1,1		
Bromoform	0.16	<0.16	<0.16		
1.1.2.2-Tetrachloroethane	91.0	0.0	0.0		
o-Xvlene	0.16	0.24	75.0		
Nonane	0.16	<0.16	<0.16		
Analytical Method: mod. 0	SHA PV21	20/mod. EPA TO1	5; GC/MS	Super	cvisor: SAP
Collection Media : 6L Can	ister		Approved by	y : SAP	
dra : Va palituane			Date	: 14-JUN-19	

Page 11 of 17 Report Reference:1 Generated:14-JUN-19 12:30

222	GAL	SON	BURATURI ANALISIS KEPURI		
01 Kirkville Road st Syracuse, NY 13057		Client Site	: Indeor Air Quality Dia : NS	gnostics, Inc	
<pre>/>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>></pre>		Date Sampled Date Received Date Analyzed Report ID	: 11-JUN-19 : 13-JUN-19 : 13-JUN-19 : 1140968	Account No.: 27014 Login No. : 1482653 Units : ppbv	
Galson ID: Client ID:	LOQ ppbv	L482653-4 GE-2-2-CEDAR	L482653-5 SHOW ROOM BACKROUND		
mene	0.16	<0.16	<0.16		
-Chlorotoluene	0.16	<0.16	<0.16		
Propylbenzene	0.16	<0.16	<0.16		
-Ethyltoluene	0.16	<0.16	<0.16		
3, 5-Trimethylbenzene	0.16	<0.16	<0.16		
2,4-Trimethylbenzene	0.16	0.28	0.41		
inzyl Chloride	0.16	<0.16	<0.16		
3-Dichlorobenzene	0.16	<0.16	<0.16		
4-Dichlorobenzene	0.16	<0.16	<0.16		
2-Dichlorobenzene	0.16	<0.16	<0.16		
phthalene	0.16	<0.16	<0.16		

Supervisor: SAP Approved by : SAP Date : 14-JUN-19 Analytical Method: mod. OSHA PV2120/mod. EPA TO15, GC/MS Collection Media : 6L Canister Submitted by : BLD

Page 12 of 17 Report Reference:1 Generated:14-JUN-19 12:30

IAQ DIAGNOSTICS

roproparte +/-12.6% 38.13 +/-17.5% 10.4%

Page 13 of 17 Report Reference:1 Generated:14-JUN-19 12:30

ЭКТ			
LABORATORY FOOTNOTE REP.	lagnostics, Inc.	Account No.: 27014 Login No. : L982653	1014 1014 1014 1014 1014 1014 1014 1014
NO	: Indoor Air Quality D	1 11-JUN-19 ed: 13-JUN-19 the 13-JUN-19	<pre>// 115.7% // 120.0% // 121.4% /</pre>
GALS	Client Name Site	7 Date Sample Date Analyz	ane tare vi Buryl Ketonè me cahydrofutan (1 Acendae Dichlorobenzene Dichlorobenzene Cutrile morform contrile suradiene suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene Suradiene sure sure contrile ne ina nil 1 Acente ne ne ne ne ne ne ne ne ne ne ne ne ne
SGS		601 Kirkville Road ast Syracuse, NY 1305' 315) 432-5227 AX: (115) 437-0571 WW. sgsgalson.com	Metri Netri

Page 14 of 17 Report Reference:1 Generated:14-JUN-19 12:30

or Air Quality Plagnostics. Inc uN-19 Account No.: 27014 UN-19 Login No. : L402653 +/-18.64 1034 +/-19.34 1005 +/-9.34 1005
--

Page 15 of 17 Report Reference:1 Generated:14-JUN-19 12:30



Standard 0% Client Acct No.	. 3.	HAIN	OF CI	USTODY		
A Busianse Parts 2500 Client Acct No.	pomplete this COC elev	ctronically by logging in to your	· Client Portal accou	nt at https://portal.galsonlabs.c	jung	
a co siness nave	Report To :	wr. Bret Berglund		Invoice To :	Mr. Bret Berglund	
3 Business Days 50% 27014	Company Name :	Indoor Air Quality Di	Lagnostics, In	c Company Name :	Indoor Air Quality Diagne	stics, Inc
2 Business Days 75%	Address 1:	11611 W. North Ave		Address 1 :	11611 W. North Ave	
Next Dav hv finm 100%. Original Prep No.:	Address 2 :	Suite 203		Address 2 :	Suite 203	
Nort Day Munch 15000 FSY531462	City, State Zip :	Wauwatosa, WI 53226		City. State Zip :	Wauwatosa, WI 53226	
	Phone No. :	262 - 227 - 3722		Phone No. :	262 - 227 - 3722	
J same Day 200% LS Hep:	Cell No. :		•	Email Address :	bret@laddiagnostics.com	
Z Samples submitted using the FreePlumpLoan ^{IM} Program Online COC No.:	Email reports to : Comments :	bret@iaqdiagnostics.c	HIO:	Comments : P.O. No. :		
Samples submitted using the 182847 FreeSamplingBadges ^{ter} Program				Payment info.	I will call SGS Galson to provide Card on File (enter the last five d	credit card info gits on the line below
comments :		1		State Samplec	I: Please indicate which OEL(s) II □ OSHA PEL □ ACGIH TLV	is data will be used
					CIAC: Specify Limit(s)	Other : Specify Other
Site Name : Project :		Sampled By :		List description	of industry or Process/interferences p	resent in sampling ar
Sample ID • (Maximum of 20 Characters) Date Sampled •	Collection Medium	Sample Volume Sample Time Sample Area *	Liters Minutes in², cm², ft² •	Analysis Requested	Method Reference A	Hexavalent Chromi Process (e.g., weld plating, painting, e
6E2-4 Cedar 6/11/19 6-2	Canister			Volatile Organics Profile (TOIS 11st)	mod. OSHA PV2120/mod. EPA TO15; GC/MS	1350
$\hfill \wedge$ If the method(s) indicated on the COC are not our routin.	ic/preferred method(s)	, we will substitute our routine/	preferred methods.	If this is not acceptable, check	here to have us contact you.	
Chain of Custody	.0.	Date Time		Print Name /	Signature	Date Time
Relinquished By: Bret Der Aline Man	31)80	6/11/19 95 30t	Received By :	Drott Cronod Electri	The Marthan	100
Relinquished By :	10.1		Received By :		19 Down Draw of 10	13 19
	* You must f Samples n	ill in these columns for any sam eceived after 3pm will be consid	iples which you are dered as next day's	submitting. business.	Online COC No. 1 1828 Prep No. : PSV5 Account No. : 2701 Draft : 6/622	17 31462 1 19 11:14:31 AM
All services are rendered in ac	accordance with the ap	plicable SGS General Condition	is of Service access	ible via: http://www.sos.com/er	Terms-and-Conditions.asox	

1

. .(

2.

. .

IAQ

Member of the SGS Group (SGS SA)

0 **k**

SGS

GALSON CHAIN OF CUSTODY

	2.0	
- 1	60	
	2	
	a.	
	č.	
	5	
	18	
	5	
	1 A .	
	-	

65CE -3-WHCm/lock G/III/Iq 6-L Canateter provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 200000. BNA TY 20 CSCE-3-2 - HKm/lock G/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 20 CSCE-3-2 - HKm/lock G/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 20 SEC-3-2-Lock G/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 40 SEC-2-2-Colck G/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 40 Section U/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 40 Section U/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) TY 40 Section U/III/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) Ty 40 Disclaterorind U/IIII/Iy 6-L Canateter Provintion (TOBS 1.8.1) Provintion (TOBS 1.8.1) Ty 40 Disclaterorind U/IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	65CE - 37 H C m/lock 6/11 (1) 6-1 c cmister protisities prosisties p	CSCE -37HEn/lod G/III/Iq 6-L Caniterer 001411.10 COGNIG 13.55 CSCE-3-2 - HWML VIII/I 6-L Caniterer 749 CSCE-3-2 - HWML VIII/I 6-L Caniterer 749 SSE -2-2-Calur G/III/Iq 6-L Caniterer 749 SSE -2-1-Calur G/III/Iq 6-L Caniterer 749 SSE -2-1-Calur G/III/Iq 6-L Caniterer 740 SSE -2-1-Calur G/III/Iq 6-L Caniterer 710 SSE -2-1-Calur J/III/Iq 6-L Caniterer 710 SSE -2-1-Calur J/III/Iq 6-L Caniterer 710 SSE -2-2-Calur J/III/Iq 6-L Caniterer 710 SSE -2-1-Calur J/III/Iq 6-L Caniterer 710 SSE -2-1-Calur J/III/Iq 6-L Caniterer 710 SSE -2-2-Calur J/III/Iq 6-L Caniterer 710 SSE -2-2-Calur J/IIII/Iq 6-L Caniter	65E-3NHemlod G/11/19 6-1 Canister 65E-3-2 - Hemld 6/11/19 6-1 Canister 65E-3-2 - Hemld 6/11/19 6-2 Canister 56 - 2-2-Ceday 6/11/19 6-2 Canister 5 how toom 6/11/19 6-2 Canister Backtrown 6/11/19 6-2 Canister	Volatile Organics mod. OSHA V2120/mod. EPA [] Profile (TOIS list) TV2120/mod. EPA [] [] Volatile Organics mod. OSHA TY2 Volatile Organics mod. OSHA TY2
CEC-3-2 - HkpllLL Ulrll 6.1. Canister volatile organism 740 SEC-3-2 - HkpllLL Ulrll 6.1. Canister volatile organism 740 SEC-2-2-Calue Ulrll 6.1. Canister volatile organism 740 SEC-2-2-Calue Ulrll 6.1. Canister volatile organism 740 Shape Larce volatile organism volatile organism 740 Dau Larce Ulrll 6.1. Canister volatile organism 710 Dau Larce Notatile organism volatile organism 710 Dau Larce Dau Larce Notatile organism 710 Dau Larce Dan rotatile organism 710 Internet	CEC-3-2 - Heyllbr. Glults Exact and a constance Votatia organica Prod. Prod. ECC-3-2 - Ucbur Glults E-1. Canitates Prod. Prod. <td>Califier Institution Number of the contraction Number of the contraction Production Producti</td> <td>CSE-3-2 - Hewld 6/11/19 6-1 Canister SE-2-2-Cedar 6/11/19 6-1 Canister Show-Corr 6/11/19 6-1 Canister Backrown 6/11/19 6-1 Canister</td> <td>Volatile Organics mod. OSHA 74° Profile (TOI5 list) PV2120/mod. EPA 74° Volatile Organics mod. OSHA 71°</td>	Califier Institution Number of the contraction Number of the contraction Production Producti	CSE-3-2 - Hewld 6/11/19 6-1 Canister SE-2-2-Cedar 6/11/19 6-1 Canister Show-Corr 6/11/19 6-1 Canister Backrown 6/11/19 6-1 Canister	Volatile Organics mod. OSHA 74° Profile (TOI5 list) PV2120/mod. EPA 74° Volatile Organics mod. OSHA 71°
Letter Volation Water organica Bendi and The constraints Description The constraints <	EE -2-2-Calue 6/11/19 6-1. Consistence Volatile Organice point offendi RN 71/0 Show Horr U/11/19 6-1. Consistence Volatile Organice Provide Offendi RN 71/0 Show Horr U/11/19 6-1. Consistence Volatile Organice Provide Offendi RN 71/0 Show Horr U/11/19 6-1. Consistence Volatile Organice Provide Offendi RN 71/0 International Interaction U/11/19 6-1. Consistence Provide Offendi RN 71/0 International Interaction U/11/19 6-1. Consistence Provide Offendi Provide Offendi 71/0 International Interaction U/11/19 6-1. Consistence Provide Offendi Provide Offendi 71/0 International Internation International Internatinal International	Label	SE-2-2-Cebar 6/11/19 6-1 Canieter Showtoom U/11/19 6-L Canieter Backrownd 11/11/19 6-L Canieter	Volatile Organics mod. OSHA Profile (TOIS list) PV2120/mod. EPA Profile (TOIS list) PV2120/mod. EPA Volatile Organics mod. OSHA Profile (TOIS list) PV2120/mod. EPA Profile (TOIS list) PV2120/mod. EPA Profile (TOIS list) PV2120/mod. EPA
Show thom Ulrilly 6-L Contacter Volatile Organica mod. 08th T/O Proc. Leau /ul Included Included Included Proc. 08th T/O Proc. Leau /ul Included Included Included Proc. 08th T/O Proc. Leau /ul Included Included Included Proc. 08th T/O Proc. Leau /ul Included Included Included Proc. 08th T/O Included Included Included Included Included Proc. 08th T/O Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Included Incl	Show form Ultilly FL Character Ultility FL Character Profile Profile Profile Profile Profile Profile Profile Phone Allowing Intervention Intervention Intervention Intervention Profile Profile Profile Profile Phone Allowing Intervention Intervention Intervention Intervention Profile Profile Profile Phone Allowing Intervention Intervention Intervention Profile Profile Profile Profile Phone Allowing Intervention Profile Profile Profile Profile Profile Profile Phone Allowing Profile Profile Profile Profile Profile Profile Profile Phone Allowing Profile Profile Profile Profile Profile Profile Profile Phone Allowing	Show form Until (1) 6-L Constate Volatile Organice model, ORBA Event is (rousi state) model, ORBA Participlendi, EvA T Part Level M International <	Show toom Ulully 6-1 Canister Decktownd III 6-1 Canister	Volatile Organics mod. OSHA Profile (TOIS list) PV2120/mod. BPA 7/0 TOIS; QC/MS
A If the method of a considered with the application of feature according to a considered with the application of the considered active of	Image: Second set of the second set of the set of the second set of the set of	Image: Second		
Under Not outstood Time Time Time Time Time Relinquished By: Not Hughling Not Hughling Stars Received By: Breft Grenent-Fiscolar Stars 1007 Relinquished By: Not Hughling Stars Received By: Received By: Breft Grenent-Fiscolar Stars 1007 Relinquished By: Not Hughling Stars Received By: Received By: Breft Grenent-Fiscolar Stars 1007 Relinquished By: Not Hughling Stars Received By: Received By: Breft Grenent-Fiscolar Stars 1007 Relinquished By: Not Hughling Stars Received By: Received By: Breft Grenent-Fiscolar Stars 1007 Relinquished By: Not Hughling Stars Received By: Received By: Stars 1007 Relinquished By: Not Hughling Stars Stars Stars 1007 Relinquished By: Not Hughling Stars Stars 1007 1007 Relinquished By: Not Hughling Stars Stars 1007 13247 Samples received after 3pm will be considered as next day's business. Anno.: 27014 114:31 AM All services are rendered in accordance with the appli	Under Notices are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/fermane/.signature Date Time Time Relinquished By: http://htttpi.httpi.http://http://http://httpi.http://http://http	Cutantion of use of the standard of the stand	 At the method(s) indicated on the COC are not our routine/preferred method(s), we will substitute our routine/preferred r 	routine/preferred methods. If this is not acceptable, check here to have us contact you.
Relinquished By: Mart Lat Art Lat Mart - You Mart - Y	Relinquished By: Part Part Part Part Part Part Part Part	Relinquished By: Mrt Horshford Mrt Horshford Mark Horshford Mark Horshford Momuna L Modeler Momuna L Modeler Momuna L Modeler Momuna L Modeler 1007 Relinquished By: Mrt Horshford Mrt Horshford Mrt Horshford Standard Non-1 Momuna L Modeler 1007 Relinquished By: Mrt Horshford Mrt Horse Received By: Received By: Non-1 Non-1 1001 107 107 Relinquished By: Mrt Horse Received By: Received By: Received By: Non-1 Non-1 101 10 1 10 7 Relinquished By: Mrt Horshford Received By: Received By: Received By: Non-1 Non-1 1001 113 11 1 10 7 Relinquished By: Received By: Received By: Received By: Received By: Non-1 Non-1 10 113 11 10 1 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <t< td=""><td>Chain of Custody Print Name / Signadure Date Time</td><td>ime Print Name/ Signature Date</td></t<>	Chain of Custody Print Name / Signadure Date Time	ime Print Name/ Signature Date
You must fill in these columns for any samples which you are submitting. Online COC No. : 182847 Samples received after 3pm will be considered as next day's business. All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.scs.com/en/Terms-and-Conditions.scu.	You must fill in these columns for any samples which you are submitting. Anone COC No.: 182847 Prep No.: 182847 Prep No.: 182847 Prep No.: 182847 Prep No.: 27014 Anone Second after 3pm will be considered as next day's business. Anone Mon.: 27014 Draft : 6/6/2019 11:14:31 AM All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/Terms-and-Conditions.aspx	• You must fill in these columns for any samples which you are submitting. Online COC No.: 182847 Samples received after 3pm will be considered as next day's business. Account No.: 27014 Draft: 6/6/2019 11:14:31 AM All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/Terms-and-Conditions.aspx Page: 2/2 Page: 2/2 SGS North B601 Kirkville Road E. Syracuse, NY 13057, USA 1+1 315 432 5227 www.galsonlebs.com www.sgs.com	Relinquished By: Pret Dergland But Old Walter 91 Bar Receive Relinquished By: Pret Dergland Brith Receive	Received By: Brett Grenert-Fischer Buil Donut - Hochen 1
All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.scs.com/en/Terms-and-Conditions.asox	All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/Terms-and-Conditions.aspx	All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/Terms-and-Conditions.aspx Page: 2/2 SGS North 6601 Kirkville Road E. Syracuse, NY 13057, USA 1+1 888 432 5227 +1 315 432 5227 www.galsonlebs.com www.sgs.com	You must fill in these columns for any samples which Samples received after 3pm will be considered as n	any samples which you are submitting. Online COC No. : 132847 Prep No. : F32845 Account No. : 27014 Draft: 66/62019 11:14:31 Al
		Page: 2/2 America SGS North B601 Kirkville Road E. Syracuse, NY 13057, USA 1+1 888 432 5227 [+1 315 432 5227 www.galsonlebs.com [www.sgs.com	All services are rendered in accordance with the applicable SGS General Conditions of Service	conditions of Service accessible via: http://www.sgs.com/en/Terms-and-Conditions.aspx

Member of the SGS Group (SGS SA)