



May 14, 2026

Ryan Stearns  
Good Health Saunas, MP Saunas, National Marketing Inc  
2140 W Wisconsin Ave,  
Appleton, WI 54914 .

**Limited Indoor Air Quality Assessment - VOCs**  
*(Sauna Sampling – 21715 Doral Road, Waukesha, WI)*

Mr. Stearns,

In response to Good Health Saunas, MP Saunas, National Marketing Inc. ('CLIENT') request, IAQ-NorthStar Environmental LLC., ('IAQ-NorthStar') has perform a limited indoor air quality assessment within two (2) sauna's set up within the Master Spa facilities media room located at 21715 Doral Road, in Waukesha, Wisconsin and one (1) sauna's set up within the Master Spa facilities showroom located at 2242 W Bluemound Road, in Waukesha, Wisconsin ('SITES')

The scope of IAQ-NorthStar services was specifically limited to indoor air sampling that measures the concentrations of volatile organic compounds ('VOC's), utilizing the United States Environmental Protection Agencies ('USEPA') TO-15 list, present in the indoor air near the sampling devices placed within each sauna during the specified period of sampling.

One (1) sample was collected within each sauna (Model MP-3, Model GSE3 "Signature" and Model GSE2 "Hybrid") while each sauna is operated at or above 135 Fahrenheit to document the VOC during operating conditions.

One (1) sample was also collected outside of the saunas (at the 21715 Doral Road facility only) to document the general background VOC levels within the Master Spa showroom that could have an impact on the VOC levels within the saunas.

One (1) sample was also collected outdoors (at the 21715 Doral Road facility only) to document the general background VOC levels outside the Master Spa showroom building that could have an impact on the VOC levels within the building.

The sampling was done using a mini canister to draw air into the canister under the influence of the canister's vacuum. This sample is a direct measure of the indoor air concentration near the sampling device during the sampling period. Each canister was fitted with a flow controller that provides grab (short-term) sample.

The samples were sent overnight express to SGS Galson Labs, an American Industrial Hygiene Association ('AIHA') accredited laboratory, for analysis using the appropriate EPA methodology for the targeted VOC's.

The sampling was performed on May 5, 2026. The results of the sampling are presented in Table 1. SGS Galson Labs report is presented as an Attachment to this letter report.

**TABLE 1.0**

Compound	Results*				
	0228-1 Outdoors	0228-2 Media Room (68° F)	0228-3 MP-3 (150° F) in Media Room	0228-4 GSE-2 Hybrid (150° F) in Media Room	0228-5 GSE-2 Signature (135° F) in Showroom
Propylene	<5.0	<5.0	<5.0	<5.0	<5.0
Freon-12	<0.8	<0.8	<0.8	<0.8	<0.8
Chloromethane	<0.8	<0.8	<0.8	<b>1.0</b>	<b>1.6</b>
Freon-114	<0.8	<0.8	<0.8	<0.8	<0.8
Vinyl Chloride	<0.8	<0.8	<0.8	<0.8	<0.8
1,3-Butadiene	<0.8	<0.8	<0.8	<0.8	<0.8
n-Butane	<0.8	<b>2.3</b>	<b>4.9</b>	<b>2.0</b>	<b>1.7</b>
Bromomethane	<0.8	<0.8	<0.8	<0.8	<0.8
Chloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
Acetonitrile	<5.0	<b>42</b>	<b>59</b>	<5.0	<5.0
Vinyl Bromide	<0.8	<0.8	<0.8	<0.8	<0.8
Acrolein	<0.8	<0.8	<0.8	3.2	6.2
Acetone	<5.0	<5.0	<5.0	<5.0	<5.0
Freon-11	<0.8	<0.8	<0.8	<0.8	<0.8
Isopropyl Alcohol	<5.0	<b>8.6</b>	<b>11</b>	<b>11</b>	<b>8.4</b>
Acrylonitrile	<0.8	<0.8	<0.8	<0.8	<0.8
Pentane	<0.8	<b>120</b>	<b>150</b>	<b>150</b>	<b>49</b>
Ethyl Bromide	<0.8	<0.8	<0.8	<0.8	<0.8
1,1-Dichloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
Tert-Butyl Alcohol	<5.0	<5.0	<5.0	<5.0	<5.0
Methylene Chloride	<0.8	<0.8	<0.8	<0.8	<0.8
Freon-113	<0.8	<0.8	<0.8	<0.8	<0.8
Carbon Disulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Allyl Chloride	<0.8	<0.8	<0.8	<0.8	<0.8
1,2-Dichloroethane (trans)	<0.8	<0.8	<0.8	<0.8	<0.8
1,1-Dichloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
Methyl-tert-butyl ether (MTBE)	<0.8	<0.8	<0.8	<0.8	<0.8
Vinyl acetate	<0.8	<0.8	<0.8	<0.8	<0.8
Methyl Ethyl Ketone	<0.8	<b>25</b>	<b>27</b>	<b>28</b>	<b>41</b>
Cis-1,2, Dichloroethylene	<0.8	<0.8	<0.8	<0.8	<0.8
n-Hexane	<0.8	<0.8	<0.8	<0.8	<0.8
Ethyl Acetate	<0.8	<0.8	<0.8	<b>1.7</b>	<b>2.5</b>
Chloroform	<0.8	<0.8	<0.8	<0.8	<b>24</b>
Tetrahydrofuran	<0.8	<b>50</b>	<b>51</b>	<b>52</b>	<b>71</b>
1,2-Dichloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
1,1,1-Trichloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
Benzene	<0.8	<0.8	<0.8	<0.8	<0.8
Carbon Tetrachloride	<0.8	<0.8	<0.8	<0.8	<0.8
Cyclohexane	<0.8	<0.8	<0.8	<0.8	<0.8
1,2-Dichloropropane	<0.8	<0.8	<0.8	<0.8	<0.8
Bromodichloromethane	<0.8	<0.8	<0.8	<0.8	<0.8
1,4 Dioxane	<0.8	<0.8	<0.8	<0.8	<0.8
Trichloroethylene	<0.8	<0.8	<0.8	<0.8	<0.8
2,2,4-Trimethylpentane	<0.8	<0.8	<0.8	<0.8	<0.8
Methyl Methacrylate	<0.8	<0.8	<0.8	<0.8	<0.8
n-Heptane	<0.8	<b>0.86</b>	<0.8	<0.8	<0.8
1,3-Dichloropropene (cis)	<0.8	<0.8	<0.8	<0.8	<0.8
1,3-Dichloropropene (trans)	<0.8	<0.8	<0.8	<0.8	<0.8
1,1,2-Trichloroethane	<0.8	<0.8	<0.8	<0.8	<0.8

Compound	Results*				
	0228-1 Outdoors	0228-2 Media Room (68° F)	0228-3 MP-3 (150° F) in Media Room	0228-4 GSE-2 Hybrid (150° F) in Media Room	0228-5 GSE-2 Signature (135° F) in Showroom
Methyl Isobutyl Ketone	<0.8	<b>0.87</b>	<b>0.99</b>	<0.8	<0.8
Toluene	<0.8	<b>8.6</b>	<b>1.5</b>	<b>1.2</b>	<b>1.1</b>
Methyl Butyl Ketone	<0.8	<0.8	<0.8	<0.8	<0.8
Dibromochloromethane	<0.8	<0.8	<0.8	<0.8	<0.8
1,1-Dibromoethane	<0.8	<0.8	<0.8	<0.8	<0.8
Tetrachloroethylene	<0.8	<0.8	<0.8	<0.8	<0.8
Chlorobenzene	<0.8	<0.8	<0.8	<0.8	<0.8
Ethylbenzene	<0.8	<0.8	<0.8	<0.8	<0.8
Xylene (para & meta)	<1.6	<1.6	<1.6	<1.6	<1.6
Bromoform	<0.8	<0.8	<0.8	<0.8	<0.8
Styrene	<b>&lt;0.8</b>	<b>12</b>	<b>18</b>	<b>4.8</b>	<b>7.4</b>
1,1,2,2-Tetrachloroethane	<0.8	<0.8	<0.8	<0.8	<0.8
Xylene (ortho)	<0.8	<0.8	<0.8	<0.8	0.84
Nonane	<0.8	<0.8	<0.8	<0.8	<0.8
Cumene	<0.8	<0.8	<0.8	<0.8	<0.8
2-Chlorotoluene	<0.8	<0.8	<0.8	<0.8	<0.8
n-Propyl benzene	<0.8	<0.8	<0.8	<0.8	<0.8
4-Ethyltoluene	<0.8	<0.8	<0.8	<0.8	<0.8
1,3,5-Trimethylbenzene	<0.8	<0.8	<0.8	<0.8	<0.8
1,2,4-Trimethylbenzene	<0.8	<0.8	<0.8	<0.8	<0.8
Benzyl Chloride	<0.8	<0.8	<0.8	<0.8	<0.8
1,3-Dichlorobenzene	<0.8	<0.8	<0.8	<0.8	<0.8
1,4-Dichlorobenzene	<0.8	<0.8	<0.8	<0.8	<0.8
1,2-Dichlorobenzene	<0.8	<0.8	<0.8	<0.8	<0.8
Naphthalene	<0.8	<0.8	<0.8	<0.8	<0.8

\*Results reported in parts per billion (ppb)


Except for ethyl acetate (GSE-2 Hybrid & GSE-2 Signature), chloroform (GSE-2 Signature) and chloromethane (GSE-2 Hybrid & GSE-2 Signature), the results indicate the TVOC levels in each sauna were nearly equivalent to the “background” levels present within the environment the saunas were present and operating within. These levels appear normal and suggest the source of most of the identified VOCs present above the laboratory limit of detection are present within the environment (media room) and are impacting the levels within each sauna.

The findings documented in this report are only valid at the time of its design. No warranty is either expressed or implied in this document.

IAQ-NorthStar may have used information supplied by CLIENT for the design of this report; therefore, IAQ-NorthStar cannot be held responsible for any damages (indirect or consequential) as a result of that misinformation or omissions of information.

Sincerely,

**IAQ-NorthStar Environmental LLC.**



Bret Berglund, CHMM

Attachment: SGS Galson Report

SGS

GALSON

Bret Berglund  
IAQ-NorthStar Environmental, LLC  
Bret@iaqnorthstar.com

May 14, 2026

Account# 21610

Login# L694417


Dear Bret Berglund:

Enclosed are the analytical results for the samples received by our laboratory on May 07, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson



Lisa Swab  
Laboratory Director

Enclosure(s)



GALSON

ANALYTICAL REPORT

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
Site : GOOD HEALTH SAUNAS Login No. : L694417  
Project No. : 261-201  
Date Sampled : 05-MAY-26  
Date Received : 07-MAY-26

Date Analyzed : 08-MAY-26 - 14-MAY-26  
Report ID : 1564464

TO15 List

Galson ID:  
Client ID:

L694417-1 L694417-2 L694417-3  
202-1 202-2 202-3

	LOQ ppbv	LOQ ug/m3	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
Propylene	5.0	8.6	<5.0	<8.6	1	<5.0	<8.6	1	<5.0	<8.6	1
Freon-12	0.80	4.0	<0.80	<4.0	1	<0.80	<4.0	1	<0.80	<4.0	1
Chloromethane	0.80	1.7	<0.80	<1.7	1	<0.80	<1.7	1	1.3	2.7	1
Freon-114	0.80	5.6	<0.80	<5.6	1	<0.80	<5.6	1	<0.80	<5.6	1
Vinyl Chloride	0.80	2.0	<0.80	<2.0	1	<0.80	<2.0	1	<0.80	<2.0	1
1,3-Butadiene	0.80	1.8	<0.80	<1.8	1	<0.80	<1.8	1	<0.80	<1.8	1
n-Butane	0.80	1.9	<0.80	<1.9	1	2.3	5.4	1	4.9	12	1
Bromomethane	0.80	3.1	<0.80	<3.1	1	<0.80	<3.1	1	<0.80	<3.1	1
Chloroethane	0.80	2.1	<0.80	<2.1	1	<0.80	<2.1	1	<0.80	<2.1	1
Acetonitrile	5.0	8.4	<5.0	<8.4	1	<5.0	<8.4	1	<5.0	<8.4	1
Vinyl Bromide	0.80	3.5	<0.80	<3.5	1	<0.80	<3.5	1	<0.80	<3.5	1
Acrolein	0.80	1.8	<0.80	<1.8	1	0.93	2.1	1	3.0	6.8	1
Acetone	5.0	12	<5.0	<12	1	42	99	1	59	140	1

Analytical Method: mod. EPA TO15; GC/MS  
Collection Media : Mini Can  
Submitted by : NKP/CPH

Approved by : CPH  
Date : 14-MAY-26

Supervisor: TEM



GALSON

LABORATORY ANALYSIS REPORT

LEIAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
Site : GOOD HEALTH SAUNAS Login No. : L694417  
Project No. : 261-201  
Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
Date Received : 07-MAY-26 Report ID : 1564464

TO15 List

	LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
Freon-11	0.80	4.5	<0.80	<4.5	1	<0.80	<4.5	1	<0.80	<4.5	1
Isopropyl Alcohol	5.0	12	<5.0	<12	1	8.6	21	1	11	26	1
Acrylonitrile	0.80	1.7	<0.80	<1.7	1	<0.80	<1.7	1	<0.80	<1.7	1
Pentane	0.80	2.4	<0.80	<2.4	1	120	360	4	150	430	1
Ethyl Bromide	0.80	3.6	<0.80	<3.6	1	<0.80	<3.6	1	<0.80	<3.6	1
1,1-Dichloroethene	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	<0.80	<3.2	1
tert-Butyl Alcohol	5.0	15	<5.0	<15	1	<5.0	<15	1	<5.0	<15	1
Methylene Chloride	0.80	2.8	<0.80	<2.8	1	<0.80	<2.8	1	<0.80	<2.8	1
Freon-113	0.80	6.1	<0.80	<6.1	1	<0.80	<6.1	1	<0.80	<6.1	1
Carbon Disulfide	5.0	16	<5.0	<16	1	<5.0	<16	1	<5.0	<16	1
Allyl Chloride	0.80	2.5	<0.80	<2.5	1	<0.80	<2.5	1	<0.80	<2.5	1
trans-1,2-Dichloroethene	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	<0.80	<3.2	1
1,1-Dichloroethane	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	<0.80	<3.2	1

L694417-1  
202-1

L694417-2  
202-2

L694417-3  
202-3

Analytical Method: mod. EPA TO15; GC/MS  
Collection Media : Mini Can  
Submitted by : NKP/CPH

Approved by : CPH  
Date : 14-MAY-26  
Supervisor: TEM



GALSON

LABORATORY ANALYSIS REPORT

LEIAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
Site : GOOD HEALTH SAUNAS Login No. : L694417  
Project No. : 261-201  
Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
Date Received : 07-MAY-26 Report ID : 1564464

TO15 List

Galson ID:  
Client ID:

L694417-1 L694417-2 L694417-3  
202-1 202-2 202-3

	LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
Methyl tert-Butyl Ether	0.80	2.9	<0.80	<2.9	1	<0.80	<2.9	1	<0.80	<2.9	1
Vinyl Acetate	0.80	2.8	<0.80	<2.8	1	<0.80	<2.8	1	<0.80	<2.8	1
Methyl Ethyl Ketone	0.80	2.4	<0.80	<2.4	1	25	74	1	27	80	1
cis-1,2-Dichloroethylene	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	<0.80	<3.2	1
Hexane	0.80	2.8	<0.80	<2.8	1	<0.80	<2.8	1	<0.80	<2.8	1
Ethyl Acetate	0.80	2.9	<0.80	<2.9	1	1.6	5.9	1	4.2	15	1
Chloroform	0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
Tetrahydrofuran	0.80	2.4	<0.80	<2.4	1	50	150	1	51	150	1
1,2-Dichloroethane	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	<0.80	<3.2	1
1,1,1-Trichloroethane	0.80	4.4	<0.80	<4.4	1	<0.80	<4.4	1	<0.80	<4.4	1
Benzene	0.80	2.6	<0.80	<2.6	1	<0.80	<2.6	1	<0.80	<2.6	1
Carbon Tetrachloride	0.80	5.0	<0.80	<5.0	1	<0.80	<5.0	1	<0.80	<5.0	1
Cyclohexane	0.80	2.8	<0.80	<2.8	1	<0.80	<2.8	1	<0.80	<2.8	1

Analytical Method: mod. EPA TO15; GC/MS  
Collection Media : Mini Can  
Submitted by : NKP/CPH

Approved by : CPH  
Date : 14-MAY-26  
Supervisor: TEM



GALSON

LABORATORY ANALYSIS REPORT

LEIAP Lab ID #04083

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

TO15 List

	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
1,2-Dichloropropane	0.80	<0.80	<3.7	1	<0.80	<3.7	1	<0.80	<3.7	1
Bromodichloromethane	0.80	<0.80	<5.4	1	<0.80	<5.4	1	<0.80	<5.4	1
1,4-Dioxane	0.80	<0.80	<2.9	1	<0.80	<2.9	1	<0.80	<2.9	1
Trichloroethylene	0.80	<0.80	<4.3	1	<0.80	<4.3	1	<0.80	<4.3	1
2,2,4-Trimethylpentane	0.80	<0.80	<3.7	1	<0.80	<3.7	1	<0.80	<3.7	1
Methyl Methacrylate	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<0.80	<3.3	1
Heptane	0.80	<0.80	<3.3	1	0.86	3.5	1	<0.80	<3.3	1
cis-1,3-Dichloropropene	0.80	<0.80	<3.6	1	<0.80	<3.6	1	<0.80	<3.6	1
trans-1,3-Dichloropropene	0.80	<0.80	<3.6	1	<0.80	<3.6	1	<0.80	<3.6	1
1,1,2-Trichloroethane	0.80	<0.80	<4.4	1	<0.80	<4.4	1	<0.80	<4.4	1
Methyl Isobutyl Ketone	0.80	<0.80	<3.3	1	0.87	3.6	1	0.99	4.1	1
Toluene	0.80	<0.80	<3.0	1	8.6	32	1	1.5	5.5	1
Methyl Butyl Ketone	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<0.80	<3.3	1

Galson ID: L694417-1 L694417-2 L694417-3  
 Client ID: 202-1 202-2 202-3

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH

Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



GALSON

LABORATORY ANALYSIS REPORT

LEIAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
Site : GOOD HEALTH SAUNAS Login No. : L694417  
Project No. : 261-201  
Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
Date Received : 07-MAY-26 Report ID : 1564464

TO15 List

Galson ID:  
Client ID:

L694417-1 L694417-2 L694417-3  
202-1 202-2 202-3

	LOQ ppbv	LOQ ug/m3	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
Dibromochloromethane	0.80	6.8	<0.80	<6.8	1	<0.80	<6.8	1	<0.80	<6.8	1
1,2-Dibromoethane	0.80	6.1	<0.80	<6.1	1	<0.80	<6.1	1	<0.80	<6.1	1
Tetrachloroethylene	0.80	5.4	<0.80	<5.4	1	<0.80	<5.4	1	<0.80	<5.4	1
Chlorobenzene	0.80	3.7	<0.80	<3.7	1	<0.80	<3.7	1	<0.80	<3.7	1
Ethylbenzene	0.80	3.5	<0.80	<3.5	1	<0.80	<3.5	1	<0.80	<3.5	1
m & p-Xylene	1.6	6.9	<1.6	<6.9	1	<1.6	<6.9	1	<1.6	<6.9	1
Bromoform	0.80	8.3	<0.80	<8.3	1	<0.80	<8.3	1	<0.80	<8.3	1
Styrene	0.80	3.4	<0.80	<3.4	1	2.8	12	1	4.2	18	1
1,1,2,2-Tetrachloroethane	0.80	5.5	<0.80	<5.5	1	<0.80	<5.5	1	<0.80	<5.5	1
o-Xylene	0.80	3.5	<0.80	<3.5	1	<0.80	<3.5	1	<0.80	<3.5	1
Nonane	0.80	4.2	<0.80	<4.2	1	<0.80	<4.2	1	<0.80	<4.2	1
Cumene	0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
2-Chlorotoluene	0.80	4.1	<0.80	<4.1	1	<0.80	<4.1	1	<0.80	<4.1	1

Analytical Method: mod. EPA TO15; GC/MS  
Collection Media : Mini Can  
Submitted by : NKP/CPH

Approved by : CPH  
Date : 14-MAY-26  
Supervisor: TEM



**GALSON**

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**TO15 List**

Galson ID:  
Client ID:

L694417-1 L694417-2 L694417-3  
202-1 202-2 202-3

LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ppbv	ug/m3	DF
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	<0.80	<3.9	1
0.80	4.1	<0.80	<4.1	1	<0.80	<4.1	1	<0.80	<4.1	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	<0.80	<4.8	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	<0.80	<4.8	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	<0.80	<4.8	1
0.80	4.2	<0.80	<4.2	1	<0.80	<4.2	1	<0.80	<4.2	1

Analytical Method: mod. EPA TO15; GC/MS

Collection Media : Mini Can

Submitted by : NKP/CPH

Approved by : CPH

Date : 14-MAY-26

Supervisor: TEM



**GALSON**

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**T015 List**

Galson ID:  
 Client ID:

L694417-4 L694417-5  
 202-4 202-5

LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	DF
5.0	8.6	<5.0	<8.6	1	<5.0	<8.6	1	1
0.80	4.0	<0.80	<4.0	1	<0.80	<4.0	1	1
0.80	1.7	1.0	2.1	1	1.6	3.2	1	1
0.80	5.6	<0.80	<5.6	1	<0.80	<5.6	1	1
0.80	2.0	<0.80	<2.0	1	<0.80	<2.0	1	1
0.80	1.8	<0.80	<1.8	1	<0.80	<1.8	1	1
0.80	1.9	2.0	4.7	1	1.7	4.0	1	1
0.80	3.1	<0.80	<3.1	1	<0.80	<3.1	1	1
0.80	2.1	<0.80	<2.1	1	<0.80	<2.1	1	1
5.0	8.4	<5.0	<8.4	1	<5.0	<8.4	1	1
0.80	3.5	<0.80	<3.5	1	<0.80	<3.5	1	1
0.80	1.8	3.2	7.4	1	6.2	14	1	1
5.0	12	61	140	1	87	210	1	1

Analytical Method: mod. EPA T015; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH

Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



**GALSON**

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**TO15 List**

Galson ID: L694417-4  
 Client ID: 202-4

L694417-5  
 202-5

	LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	DF
Freon-11	0.80	4.5	<0.80	<4.5	1	<0.80	<4.5	1	
Isopropyl Alcohol	5.0	12	11	26	1	8.4	21	1	
Acrylonitrile	0.80	1.7	<0.80	<1.7	1	<0.80	<1.7	1	
Pentane	0.80	2.4	150	430	1	49	140	1	
Ethyl Bromide	0.80	3.6	<0.80	<3.6	1	<0.80	<3.6	1	
1,1-Dichloroethene	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	
tert-Butyl Alcohol	5.0	15	<5.0	<15	1	<5.0	<15	1	
Methylene Chloride	0.80	2.8	<0.80	<2.8	1	<0.80	<2.8	1	
Freon-113	0.80	6.1	<0.80	<6.1	1	<0.80	<6.1	1	
Carbon Disulfide	5.0	16	<5.0	<16	1	<5.0	<16	1	
Allyl Chloride	0.80	2.5	<0.80	<2.5	1	<0.80	<2.5	1	
trans-1,2-Dichloroethene	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	
1,1-Dichloroethane	0.80	3.2	<0.80	<3.2	1	<0.80	<3.2	1	

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH  
 Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



GALSON

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**TO15 List**

	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	DF
Methyl tert-Butyl Ether	0.80	<0.80	<2.9	1	<0.80	<2.9	1	1
Vinyl Acetate	0.80	<0.80	<2.8	1	<0.80	<2.8	1	1
Methyl Ethyl Ketone	0.80	28	83	1	41	120	1	1
cis-1,2-Dichloroethylene	0.80	<0.80	<3.2	1	<0.80	<3.2	1	1
Hexane	0.80	<0.80	<2.8	1	<0.80	<2.8	1	1
Ethyl Acetate	0.80	1.7	6.1	1	2.5	8.9	1	1
Chloroform	0.80	<0.80	<3.9	1	24	120	1	1
Tetrahydrofuran	0.80	52	150	1	71	210	1	1
1,2-Dichloroethane	0.80	<0.80	<3.2	1	<0.80	<3.2	1	1
1,1,1-Trichloroethane	0.80	<0.80	<4.4	1	<0.80	<4.4	1	1
Benzene	0.80	<0.80	<2.6	1	<0.80	<2.6	1	1
Carbon Tetrachloride	0.80	<0.80	<5.0	1	<0.80	<5.0	1	1
Cyclohexane	0.80	<0.80	<2.8	1	<0.80	<2.8	1	1

Galson ID: L694417-4 L694417-5  
 Client ID: 202-4 202-5

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH

Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



**GALSON**

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**TO15 List**

	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	ug/m3	DF
	0.80	<0.80	<3.7	1	<0.80	<3.7	1	<3.7	1
1,2-Dichloropropane	0.80	<0.80	<5.4	1	<0.80	<5.4	1	<5.4	1
Bromodichloromethane	0.80	<0.80	<2.9	1	<0.80	<2.9	1	<2.9	1
1,4-Dioxane	0.80	<0.80	<4.3	1	<0.80	<4.3	1	<4.3	1
Trichloroethylene	0.80	<0.80	<3.7	1	<0.80	<3.7	1	<3.7	1
2,2,4-Trimethylpentane	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<3.3	1
Methyl Methacrylate	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<3.3	1
Heptane	0.80	<0.80	<3.6	1	<0.80	<3.6	1	<3.6	1
cis-1,3-Dichloropropene	0.80	<0.80	<3.6	1	<0.80	<3.6	1	<3.6	1
trans-1,3-Dichloropropene	0.80	<0.80	<4.4	1	<0.80	<4.4	1	<4.4	1
1,1,2-Trichloroethane	0.80	<0.80	3.9	1	<0.80	<3.3	1	<3.3	1
Methyl Isobutyl Ketone	0.80	1.2	4.6	1	1.1	4.3	1	4.3	1
Toluene	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<3.3	1
Methyl Butyl Ketone	0.80	<0.80	<3.3	1	<0.80	<3.3	1	<3.3	1

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH  
 Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



GALSON

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.sgsgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

TO15 List

Galson ID: L694417-4 L694417-5  
 Client ID: 202-4 202-5

	LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	DF
Dibromochloromethane	0.80	6.8	<0.80	<6.8	1	<0.80	<6.8	1	1
1,2-Dibromoethane	0.80	6.1	<0.80	<6.1	1	<0.80	<6.1	1	1
Tetrachloroethylene	0.80	5.4	<0.80	<5.4	1	<0.80	<5.4	1	1
Chlorobenzene	0.80	3.7	<0.80	<3.7	1	<0.80	<3.7	1	1
Ethylbenzene	0.80	3.5	<0.80	<3.5	1	<0.80	<3.5	1	1
m & p-Xylene	1.6	6.9	<1.6	<6.9	1	<1.6	<6.9	1	1
Bromoform	0.80	8.3	<0.80	<8.3	1	<0.80	<8.3	1	1
Styrene	0.80	3.4	4.8	20	1	7.4	31	1	1
1,1,2,2-Tetrachloroethane	0.80	5.5	<0.80	<5.5	1	<0.80	<5.5	1	1
o-Xylene	0.80	3.5	<0.80	<3.5	1	0.84	3.7	1	1
Nonane	0.80	4.2	<0.80	<4.2	1	<0.80	<4.2	1	1
Cumene	0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	1
2-Chlorotoluene	0.80	4.1	<0.80	<4.1	1	<0.80	<4.1	1	1

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH  
 Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



**GALSON**

LELAP Lab ID #04083

LABORATORY ANALYSIS REPORT

6601 Kirkville Road  
 East Syracuse, NY 13057  
 (315) 432-5227  
 FAX: (315) 437-0571  
 www.ssgalson.com

Client : Northstar Environmental Testin Account No.: 21610  
 Site : GOOD HEALTH SAUNAS Login No. : L694417  
 Project No. : 261-201  
 Date Sampled : 05-MAY-26 Date Analyzed : 08-MAY-26 - 14-MAY-26  
 Date Received : 07-MAY-26 Report ID : 1564464

**TO15 List**

Galson ID:  
Client ID:

L694417-4  
202-4

L694417-5  
202-5

LOQ	LOQ	ppbv	ug/m3	DF	ppbv	ug/m3	DF	DF
ppbv	ug/m3							
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	1
0.80	3.9	<0.80	<3.9	1	<0.80	<3.9	1	1
0.80	4.1	<0.80	<4.1	1	<0.80	<4.1	1	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	1
0.80	4.8	<0.80	<4.8	1	<0.80	<4.8	1	1
0.80	4.2	<0.80	<4.2	1	<0.80	<4.2	1	1

Analytical Method: mod. EPA TO15; GC/MS  
 Collection Media : Mini Can  
 Submitted by : NKP/CPH  
 Approved by : CPH  
 Date : 14-MAY-26  
 Supervisor: TEM



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client Name : Northstar Environmental Testing  
Site : GOOD HEALTH SAUNAS  
Project No. : 261-201

Date Sampled : 05-MAY-26  
Date Received: 07-MAY-26  
Date Analyzed: 08-MAY-26 - 14-MAY-26  
Account No.: 21610  
Login No. : L694417

L694417 (Report ID: 1564464):

NYSDOH does not offer a certification for the following compounds:  
Propylene, Ethyl Acetate, Tetrahydrofuran, Methyl n-Butyl Ketone, 4-Ethyl Toluene, n-Butane,  
Pentane, Ethyl Bromide, Nonane, and n-Propylbenzene.  
SOPs: in-vocs(46)

L694417 (Report ID: 1564464):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
1,1,2,2-Tetrachloroethane	+/-11.9%	101%
1,1,2-Trichloroethane	+/-9.2%	102%
1,1-Dichloroethane	+/-13%	99.4%
1,1-Dichloroethene	+/-16.9%	93.3%
1,2,4-Trimethylbenzene	+/-13.5%	104%
1,2-Dibromoethane	+/-9.9%	104%
1,2-Dichlorobenzene	+/-14.4%	101%
1,2-Dichloroethane	+/-12.9%	102%
1,2-Dichloropropane	+/-11.1%	102%
1,3,5-Trimethylbenzene	+/-12.3%	103%
1,3-Dichlorobenzene	+/-14%	101%
1,4-Dichlorobenzene	+/-14.3%	101%
2,2,4-Trimethylpentane	+/-13%	102%
2-Chlorotoluene	+/-11.7%	98.6%
4-Ethyltoluene	+/-12.4%	105%
Acrolein	+/-24.4%	99.1%
Acrylonitrile	+/-16.2%	103%
Allyl Chloride	+/-18.9%	104%
Acetonitrile	+/-20.8%	101%
Acetone	+/-19.5%	102%
Bromodichloromethane	+/-10.1%	107%
Bromoform	+/-14.3%	109%
1,3-Butadiene	+/-16.9%	102%
n-Butane	+/-20.6%	101%
Benzene	+/-9.1%	99.3%
Benzyl Chloride	+/-16.4%	110%
Carbon Disulfide	+/-11.9%	106%
Carbon Tetrachloride	+/-10.6%	103%
Cis-1,2-Dichloroethylene	+/-11.5%	101%
cis-1,3-Dichloropropene	+/-11.7%	103%



GALSON


LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client Name : Northstar Environmental Testing  
Site : GOOD HEALTH SAUNAS  
Project No. : 261-201

Date Sampled : 05-MAY-26 Account No.: 21610  
Date Received: 07-MAY-26 Login No. : L694417  
Date Analyzed: 08-MAY-26 - 14-MAY-26

Chlorobenzene	+/-9.9%	101%
Dibromochloromethane	+/-11.5%	108%
Chloroform	+/-9.6%	98.8%
Cumene	+/-13.1%	98.4%
Cyclohexane	+/-9.4%	104%
1,4-Dioxane	+/-11.2%	108%
Ethyl Acetate	+/-17.1%	104%
Ethylbenzene	+/-10.3%	103%
Chloroethane	+/-14.7%	102%
Ethyl Bromide	+/-10.5%	101%
Freon-11	+/-11.6%	102%
Freon-113	+/-12.9%	96%
Freon-114	+/-14.7%	99.3%
Freon-12	+/-12.2%	102%
Heptane	+/-17.1%	105%
Isopropyl Alcohol	+/-23.6%	102%
1,1,1-Trichloroethane	+/-10.5%	102%
Bromomethane	+/-11.4%	101%
Chloromethane	+/-18.1%	99.3%
Methylene Chloride	+/-14.8%	92.1%
Methyl Ethyl Ketone	+/-16.4%	105%
Methyl Methacrylate	+/-10.6%	104%
Methyl Isobutyl Ketone	+/-17.5%	106%
Methyl Butyl Ketone	+/-17.3%	110%
m & p-Xylene	+/-11.1%	103%
Methyl tert-Butyl Ether	+/-13.3%	106%
Naphthalene	+/-27%	101%
Hexane	+/-13.7%	104%
Nonane	+/-13.2%	101%
n-Propylbenzene	+/-11.3%	100%
o-Xylene	+/-10.7%	104%
Propylene	+/-31.6%	99.8%
Pentane	+/-18.7%	102%
Styrene	+/-11.7%	104%
Trichloroethylene	+/-8.5%	101%
tert-Butyl Alcohol	+/-15.3%	104%
Tetrachloroethylene	+/-11.1%	102%
Tetrahydrofuran	+/-17.8%	105%
Toluene	+/-10.1%	103%
trans-1,2-Dichloroethene	+/-13.4%	102%
trans-1,3-Dichloropropene	+/-13.4%	110%
Vinyl Acetate	+/-24.2%	101%
Vinyl Bromide	+/-12.6%	105%
Vinyl Chloride	+/-14.1%	100%

87141856832  
 Date: 05/07/26  
 Shipper: FEDEX  
 Initials: OTS  
  
 Prep: UNKNOWN

69441M

# CHAIN OF CUSTODY

4/cans

Turn Around Time (TAT)	surcharge	Report To: Bret Berglund	Invoice To: Michelle Barrett
<input checked="" type="checkbox"/> Standard	0%	Company Name: IAQ-NorthStar Environmental, LLC	Company Name: Northstar Environmental Testing
<input type="checkbox"/> 4 Business Days	35%	Address 1: 11611 W North Ave	Address 1: 1006 Western Avenue
<input type="checkbox"/> 3 Business Days	50%	Address 2: Suite 203	Address 2:
<input type="checkbox"/> 2 Business Days	75%	City, State Zip: Wauwatosa, WI 53226	Company Name: Mosinee, WI 54455
<input type="checkbox"/> Next Day by 6pm	100%	Phone No.: 262-227-3722	Phone No.: 715-693-6112
<input type="checkbox"/> Next Day by Noon	150%	Cell No.:	Email Address: michelle@northstartesting.com, info@northstartesting.com
<input type="checkbox"/> Same Day	200%	348302	Comments:
Email reports to: Bret@iaqnorthstar.com, michelle@northstartesting.com, info@northstartesting.com Email EDD to: _____ Comments: _____		P.O. No.: 261-201	Payment info.: <input type="checkbox"/> I will call SGS to provide credit card info
Card on File (enter the last five digits on the line below) <input checked="" type="checkbox"/>			

Sample ID (Maximum of 20 Characters)	Date Sampled	Collection Medium	Sample Volume Sample Time Sample Area	Liters Minutes in <sup>2</sup> , cm <sup>2</sup> , ft <sup>2</sup>	Analysis Requested	Method Reference	Internal Notes
202-1	5/5/26	Minican, 400 or 450cc	450ml	Grab	Volatile Organics Profile (TO15 list)	mod. EPA TO15; GC/MS	
202-2	↓	Minican, 400 or 450cc	↓	↓	Volatile Organics Profile (TO15 list)	mod. EPA TO15; GC/MS	

State Sampled: WI  MSHA

Site Name: Good Health Savas Project: 261-201  
 Sampled By: Bret Berglund

List description of industry or Processes/interfaces present in sampling area:

If the method(s) indicated on the COC are not our routine/preferred method(s), we will substitute our routine/preferred methods. If this is not acceptable, check here to have us contact you.

Chain of Custody	Print Name / Signature	Date	Time	Print Name / Signature	Date	Time
Relinquished By: Bret Berglund	Bret Berglund	5/5/26	10:00AM	Received By: Olivia T. Silver	5/7/26	12:17
Relinquished By:				Received By:		

Online COC No.: 348302  
 Prep No.: PSY820898  
 Account No.: 21610  
 Finalized:

SGS North: 6601 Kirkville Road E. Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227  
 www.galsonlabs.com | www.sgs.com



# CHAIN OF CUSTODY

Sample ID (Maximum of 20 Characters)	Date Sampled	Collection Medium	Sample Volume Sample Time Sample Area	Liters Minutes in <sup>3</sup> , cm <sup>3</sup> , ft <sup>3</sup>	Analysis Requested	Method Reference	Internal Notes
202-3	5/5/24	Minican, 400 or 450cc	450ml	Grab	Volatile Organics Profile (TO15 list)	mod. EPA TO15; GC/MS	
202-4	↓	Minican, 400 or 450cc	↓	↓	Volatile Organics Profile (TO15 list)	mod. EPA TO15; GC/MS	
202-5	↓	Minican, 400 or 450cc	↓	↓	Volatile Organics Profile (TO15 list)	mod. EPA TO15; GC/MS	

Comments:

If the method(s) indicated on the COC are not our routine/preferred method(s), we will substitute our routine/preferred methods. If this is not acceptable, check here to have us contact you.

Chain of Custody	Print Name / Signature	Date	Time	Received By:	Print Name / Signature	Date	Time
Relinquished By:					Olivia T. Silver	5/7/26	1217
Relinquished By:							

Samples received after 3pm will be considered as next day's business.

Online COC No.: 348302  
 Prep No.: PSY820898  
 Account No.: 21610  
 Finalized:

All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: <http://www.sgs.com/en/Terms-and-Conditions.aspx>